PHPでシェルを作る

尾藤 正人
ウノウ株式会社

/dev/null
Tシャツ着てきました

スルー準備完了

本題

ごく一般的な
デスクトップ

iTerm Shell Edit View Bookmarks Window Help (1:49) 08/31(金)23:29:20

ディフォルト

```
>[{"suit"=>"spade", "rank"=>13}]}}
I, [2007-08-31T18:00:15.616500 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.616805 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.617075 #12611]  INFO -- : [closed]: do {"pass"=>nil}
I, [2007-08-31T18:00:15.617544 #12611]  INFO -- : [closed]: do {"put"=>{"cards"=
>[{"suit"=>"diamond", "rank"=>1}]}}
I, [2007-08-31T18:00:15.617971 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.618261 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.618526 #12611]  INFO -- : [closed]: do {"pass"=>nil}
I, [2007-08-31T18:00:15.619119 #12611]  INFO -- : [closed]: do {"put"=>{"cards"=
>[{"suit"=>"diamond", "rank"=>2}]}}
I, [2007-08-31T18:00:15.619840 #12611]  INFO -- : [auto]: put => {"cards"=>[{"su
it"=>"spade", "rank"=>5}]}
I, [2007-08-31T18:00:15.620363 #12611]  INFO -- : [auto]: put => {"cards"=>[{"su
it"=>"spade", "rank"=>6}]}
I, [2007-08-31T18:00:15.620827 #12611]  INFO -- : [closed]: do {"pass"=>nil}
I, [2007-08-31T18:00:15.621102 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.622251 #12611]  INFO -- : [auto]: put => {"cards"=>[{"su
it"=>"heart", "rank"=>8}]}
I, [2007-08-31T18:00:15.626058 #12611]  INFO -- : [auto]: put => {"cards"=>[{"su
it"=>"spade", "rank"=>9}]}
I, [2007-08-31T18:00:15.626694 #12611]  INFO -- : [closed]: do {"put"=>{"cards"=
>[{"suit"=>"club", "rank"=>10}]}}
I, [2007-08-31T18:00:15.627159 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.627425 #12611]  INFO -- : [auto]: pass => nil
I, [2007-08-31T18:00:15.627939 #12611]  INFO -- : [closed]: do {"put"=>{"cards"=
>[{"suit"=>"diamond", "rank"=>8}]}}
I, [2007-08-31T18:00:15.628451 #12611]  INFO -- : [auto]: put => {"cards"=>[{"su
it"=>"club", "rank"=>7}]}
I, [2007-08-31T18:00:15.685474 #12611]  INFO -- : [closed]: do {"rooms"=>nil}
I, [2007-08-31T18:00:15.687014 #12611]  INFO -- : [closed]: do {"rooms"=>nil}
I, [2007-08-31T18:00:15.688477 #12611]  INFO -- : [auto]: rooms => nil
I, [2007-08-31T18:00:15.689840 #12611]  INFO -- : [auto]: rooms => nil

^Cmacbook{masato}%                    [8693] 08/31 22:50 [m/houyhnhnm/trunk
]

macbook{masato}%                      [8697] 08/31 23:18 [m/houyhnhnm/trunk]
macbook{masato}%                      [8697] 08/31 23:18 [m/houyhnhnm/trunk]
[23:29] 0 zsh  1 zsh  2 zsh  3 zsh  4 zsh
```

ディフォルト

```
    {"players"=>
      {"player"=>
        {"username"=>"ロボット2",
         "id"=>"test012",
         "index"=>"2",
         "auto"=>"false",
         "audience"=>"false",
         "leaving"=>"false"}}}}}>.

6 tests, 72 assertions, 2 failures, 0 errors
macbook{masato}% ruby test/unit/game_server_millionaire_test.rb
Loaded suite test/unit/game_server_millionaire_test
Started
....F.
Finished in 132.108019 seconds.

  1) Failure:
test_join_as_player(GameServerMillionaireTest)
    [test/unit/game_server_millionaire_test.rb:373:in `test_join_as_player'
     test/unit/game_server_millionaire_test.rb:369:in `each'
     test/unit/game_server_millionaire_test.rb:369:in `test_join_as_player'
     test/unit/game_server_millionaire_test.rb:350:in `times'
     test/unit/game_server_millionaire_test.rb:350:in `test_join_as_player']:
<{"millionaire"=>
  {"joined"=>
    {"players"=>
      {"player"=>
        {"username"=>"ロボット2",
         "id"=>"test012",
         "index"=>"2",
         "auto"=>"false",
         "audience"=>"false",
         "leaving"=>"false"}}}}}> expected but was
<{"millionaire"=>
  {"left"=>
    {"players"=>
      {"player"=>
        {"username"=>"ロボット2",
         "id"=>"test012",
         "index"=>"2",
         "auto"=>"false",
         "audience"=>"false",
         "leaving"=>"false"}}}}}>.

6 tests, 72 assertions, 1 failures, 0 errors
macbook{masato}%                      [ERROR:1] 08/31 18:00 [m/houyhnhnm/trunk]
[23:29] 0 zsh  1 zsh  2 zsh  3 zsh  4 zsh
```

Macintosh HD

Fullscreen_1.png

シェル好き!!

PHP好き!!

シェルでPHP使えれば最強

PHSH

プロンプト
<?php

その場でPHPが
実行できる

設定がPHPでできる

.phshrc

readline
行編集
ヒストリ

デモ

結論

シェルは偉大

ご清聴ありがとう
ございました